



# "So, How's the Water?" - Analyzing Long Term Water Quality Trends in Indiana Streams

Paul D. McMurray Jr. and Stacey L. Sobat

March 27, 2019

Indiana Department of Environmental Management

Office of Water Quality

Watershed Assessment and Planning Branch





#### Objective

- "Each state shall prepare and submit ... a report which shall include ... a description of the water quality of all navigable waters in such State during the preceding year ..." [CWA § 305 (b)(1)]
- "...restore and maintain the chemical, physical, and biological integrity of the waters of the state."

[327 IAC 2-1-1.5]

 "All waters ... will be capable of supporting a well-balanced, warm water aquatic community" [327 IAC 2-1-3]








## Probabilistic Sampling Design

- Probabilistic design provides statistically valid, unbiased assessment of water quality and biotic condition
- Multiple uses:
  - Integrated Water Quality Monitoring and Assessment Report to U.S. EPA (305 (b) report and 303 (d) list)
  - Assess 100% of Indiana's rivers & streams
  - Identify waterbodies not meeting designated uses
  - Identify parameters of concern and track changes over time
  - Refer smaller watersheds for targeted sampling
  - Determine extent, cause, and source of impairments
  - Prioritize watersheds across water quality management programs










Map Projection: UTM Zone 16 N Map Datum: NAD83 Mapped By: JWood, Office of Water Quality, Frbruary 28, 2019












#### IDEM Probabilistic Sites 1996-2018







#### Sampling Methods

- Fish Community
  - 1 sample between June 1 Oct. 15
  - Sample 15x wetted width,from 50m 500m



- Regional Indices of Biotic Integrity, 0 60 with < 36 = impaired
- Macroinvertebrate Community
  - 1 sample between July 15 Nov. 15
  - Multihabitat sampling over 50m
  - Identified to lowest taxonomic level
  - Statewide mIBI, 12 60 with < 36 = impaired
- Ambient Escherichia coli concentrations
  - Sites sampled for five consecutive weeks April Oct.







#### Sampling Methods


- Habitat Evaluations
  - Qualitative Habitat Evaluation Index (QHEI)
  - Range 0 100, with <51 = poor habitat
- Water Chemistry and Nutrients
  - 3 sampling events between May Oct.
  - Field and laboratory water chemistry, metals, and nutrients
  - Nutrient Chlorophyll a measurements
    - Periphyton/Seston grab sample
    - Diatom IBI being developed
  - Violations: Water Quality Standards








#### Probabilistic Sampling Results





Great Miami (Whitewater) River






































- Aluminum, Ammonia, Cadmium,
   Chloride, Copper, Cyanide, Lead impact <1%</li>
- pH, Ammonia, Habitat, Sulfate high risks to biology






Percent impacted Indiana stream miles by basin and parameter												
	Fish	Macro	Habitat	DO	Nutrients	Phosphorus	TDS	Nitrate + Nitrite	рН	Sulfate	Lead	Ammonia
West Fork of the White River	29.6	23.8	23.3	5.8	9.5	9.1	5.5	12.3	1.7	2.6	0.9	1.5
East Fork of the White River	37.4	26.4	21.6	26.1	1.6	5.4	2.0	0.8				0.6
Great Miami River	8.3	8.5	8.1	13.8	8.8			1.3				
Lower Wabash River	25.3	30.7	22.1	4.4	10.0	3.1		3.3	0.8			
Upper Illinois River	30.3	39.0	52.0	9.8	6.0	7.4		5.8	0.3			
Upper Wabash River	34.8	28.3	34.2	10.9	9.5	12.1		2.2			1.0	1.0
Great Lakes Tributaries	55.1	62.2	43.7	19.4	6.4							2.2
Ohio River Tributaries	46.2	43.5	31.2	50.2	9.0				4.4			
Patoka River	46.1	49.6	61.5	24.5	15.4	10.9	32.7	2.4	4.2	19.3	3.5	1.1





### Targeted Sampling

- Watershed characterization collects same parameters using modified geometric design
- Used to determine impairment source/extent to develop TMDLs and provide data to local watershed groups
- Watershed groups then use 319 grants to implement Best Management Practices





#### **Watershed Report Card**

Deep River Watershed Characterization (2013)

							Chemical	Stressors		
		Drainage					Dissolved	Total	Potential	
		Area				E. coli *	Oxygen (DO)#	Phosphorous <sup>#</sup>	Cause(s) of	
L-Site #	Location	(mi²)	MIBI	IBI	QHEI	(per 100mL)	(mg/L)	(mg/L)	Impairment	
Headwaters Main Beaver Dam Ditch (40400010501)										
Main Beaver Dam Ditch										
									Habitat; DO;	
LMG-05-0022	Blaine Street	2.35	28	40	27	465	3.92	0.25	Nutrients	
									Habitat; DO;	
LMG-05-0020	Clark Road	9.86	26	28	37	387	2.99	0.24	Nutrients	
Tributary of Ma	Tributary of Main Beaver Dam Ditch									
									Habitat; DO;	
LMG-05-0021	101st Avenue	4.99	26	12	40	458	1.52	0.42	Nutrients	
		4							Habitat; DO;	
LMG-05-0019	Summit Street	2.79	24	14	26	1452	1.45	0.24	Nutrients	
	Main Bea	aver Dam D	itch-D	eep R	iver (4	04000105	02)			
Main Beaver Dam Ditch										
LMG-05-0018	Grant Street	19.07	26	36	58	392	6.21	0.65	Nutrients	
Deep River										
LMG-05-0015	Clay Street	44.48	40	34	57	978	6.63	0.38	Nutrients	
Smith Ditch										
LMG-05-0036	113th Avenue	2.97	38	38	25	777	6.18	0.15	Habitat; DO	
Niles Ditch										
									Habitat; DO;	
LMG-05-0017	121st Avenue	7.24	20	12	33	250	2.44	0.47	Nutrients	






#### Performance Monitoring

- Targeted sampling at previously sampled sites
- Limited to parameters for which site was impaired
- Conducted several years after implementation of Best Management Practices
- Fish IBI scores increased to passing (≥36) for all sites

		Bull Run		West Creek				
	101 <sup>st</sup> Ave.(1)	101 <sup>st</sup> Ave.(2)	Olcott Ave.	109 <sup>th</sup> Ave	125 <sup>th</sup> Ave.	Homestead Park/ Northcote Ave.		
1999-Probabilistic	0							
2004-Probabilistic						16		
2005-Singleton Ditch		24	20	28	32			
2011-Success Stories	38	38	38	36	36	36		





#### Acknowledgments

- IDEM Watershed Assessment and Planning Branch
- Tony Olsen, U.S. EPA
- Additional information
  - Watershed Assessment and Planning Branch www.idem.IN.gov/cleanwater/2338.htm
  - Water Monitoring Strategy
     www.idem.IN.gov/cleanwater/2537.htm
  - Watershed Restoration Success Stories
     www.idem.IN.gov/nps/3360.htm





# Questions?

